

### **IECEx Certificate** of Conformity

### INTERNATIONAL ELECTROTECHNICAL COMMISSION **IEC Certification Scheme for Explosive Atmospheres**

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.:

IECEx BAS 05.0070

issue No.:4

Status:

Current

Date of Issue:

2011-06-21

Page 1 of 4

27) Issue No. 2 (2007-12-13) Issue No. 1 (2006-8-10)

Issue No. 4 (2011-6-21) Issue No. 3 (2009-11-

Certificate history:

Applicant:

Wolf Safety Lamp Company Ltd

Saxon Road Works

Sheffield S8 0YA

**United Kingdom** 

**Electrical Apparatus:** Optional accessory:

Wolf Rechargeable Torch R-30

Type of Protection:

Increased Safety, Intrinsic Safety, DIP

Marking:

**IECEx BAS 05.0070** 

Ex e ib IIC T4 tD A21 IP67 T85C

Approved for issue on behalf of the IECEx

Certification Body:

Position:

Signature: (for printed version)

Date:

K∕S Sinclair

Managing Director

1. This certificate and schedule may only be reproduced in full.

2. This certificate is not transferable and remains the property of the issuing body.

3. The Status and authenticity of this certificate may be verified by visiting the Official IECEx Website.

Certificate issued by:

Baseefa **Rockhead Business Park** Staden Lane **Buxton** Derbyshire SK17 9RZ **United Kingdom** 





### IECEx Certificate of Conformity

Certificate No.:

IECEx BAS 05.0070

Date of Issue:

2011-06-21

Issue No.: 4

Page 2 of 4

Manufacturer:

**Wolf Safety Lamp Company Ltd** 

Saxon Road Works

Sheffield S8 0YA

**United Kingdom** 

#### Manufacturing location(s):

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

#### STANDARDS:

The electrical apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

IEC 60079-0: 2004

Electrical apparatus for explosive gas atmospheres - Part 0: General requirements

Edition: 4.0

IEC 60079-11 : 2006

Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"

Edition: 5

IEC 60079-7: 2006-07

Explosive atmospheres - Part 7: Equipment protection by increased safety "e"

Edition: 4

IEC 61241-0 : 2004

Electrical apparatus for use in the presence of combustible dust - Part 0: General

requirements

Edition: 1 IEC 61241-1 : 2004

Electrical apparatus for use in the presence of combustible dust - Part 1: Protection by

Edition: 1

enclosures "tD"

This Certificate **does not** indicate compliance with electrical safety and performance requirements other than those expressly included in the Standards listed above.

#### **TEST & ASSESSMENT REPORTS:**

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in

IECEx ATR:

UK/BAS/04/0229 & UK/BAS/04/0229/1 GB/BAS/ExTR06.0089/00, GB/BAS/ExTR07.0102/00, GB/BAS/ExTR09.0196/00, GB/BAS/ExTR10.0148/00 File Reference:

04/0229

04/0229, 07/0546 08/0977, 10/0414



## IECEx Certificate of Conformity

Certificate No.:

IECEx BAS 05.0070

Date of Issue:

2011-06-21

Issue No.: 4

Page 3 of 4

### Schedule

### **EQUIPMENT:**

Equipment and systems covered by this certificate are as follows:

The Wolf Rechargeable Torch R-30 uses a halogen bulb and rechargeable battery with an electronic control circuit housed in a right-angled anti-static thermoplastic body. The rubber armoured lens ring and end cap retain either a coated polycarbonate or toughened glass lens.

The enclosure is sealed dust tight and provides an ingress protection level of IP67. The right-angle body arrangement incorporates a replaceable thermoplastic belt clip for hands-free use.

The Rechargeable Torch R-30 must be charged in a non-hazardous area with a charger having an output voltage not exceeding 14V:  $U_0 = 14V$ 



# IECEx Certificate of Conformity

Certificate No.:

IECEx BAS 05.0070

Date of Issue:

2011-06-21

Issue No.: 4

Page 4 of 4

### DETAILS OF CERTIFICATE CHANGES (for issues 1 and above):

Variation 4.1

To permit minor mechanical and electrical changes.

ExTR: GB/BAS/ExTR10.0148/00

File Reference: 10/0414